



Hand protection

CHEMSAFE PLUS VV836

WORK WITH PROLONGED CHEMICAL RESISTANCE

Chemical glove offering a very good grip on objects handled during prolonged use



Specific benefits



Durability

· Longer service life thanks to a double coating for excellent abrasion resistance



Hygiene

· Nitrile means no risk of allergies for users
· Silicone-free/latex-free/DMF-free to reduce the risk of allergies without leaving traces on components



Performance

· Lightweight for optimal dexterity
· The nitrile coating gives people working in oily/greasy environments an excellent grip on the objects they handle

Certifications and norms



EN 388
3 1 2 1 A



EN ISO 374-1
TYPE A
KLMNPT



EN ISO 374-5

Technologies and labels



DMF-free



Silicon-free

Applications

- **Public Works**
- **Building**
- **Maintenance**
- **Chemical Industry**
- **Automotive**
- **Oil & Gas (Extraction)**

Risk Protection



Biological



Chemical



Particules



Hand protection

CHEMSAFE PLUS VV836

WORK WITH PROLONGED CHEMICAL RESISTANCE

Chemical glove offering a very good grip on objects handled during prolonged use

Standards - Details



EN388:2016+A1:2018

3 [0-4] ABRASION RESISTANCE
1 [0-5] CUT RESISTANCE
2 [0-4] TEAR RESISTANCE
1 [0-4] PIERCE RESISTANCE
A [A-F] CUT RESISTANCE ISO 13997



EN 374

K
L
M
N
P
T

Technical details

Glove kind	Tight glove
Glove family	Tight glove supported
Tight glove kind	Supported
Coating material and finition	Nitrile PVC double layer
Coating Level	Full Coating
Number of Coatings	Double Coated
Thickness (mm)	1
Gauge	18
Arm level protection	Forearm cuff (< 400mm)
Benefits element	Reach, Free latex, Silicone free, DMF free, Long cuff (>290mm)
Color	Blue
Size	9, 10, 11
Type of conditioning	in individual bags



Hand protection

CHEMSAFE PLUS VV836

WORK WITH PROLONGED CHEMICAL RESISTANCE

Chemical glove offering a very good grip on objects handled during prolonged use

Permeation table

Chemicals	Letter	CAS #	Permeation level	Permeation time (minutes)	Dégradation moyenne
Sodium hydroxide 40%	K	CAS 1310-73-2	6	480	2,6%
Sulphuric acid 96 %	L	CAS 7664-93-9	3	60	37,1%
Nitric acid 65%	M	CAS 7697-37-2	2	30	28,2%
Acetic acid 99%	N	CAS 64-19-7	2	30	15,9%
Hydrogen peroxide 30%	P	CAS 7722-84-1	4	120	7,9%
Formaldehyde 37%	T	CAS 50-00-0	5	240	9,6%



Safety gloves

CHEMSAFE PLUS VV836

WORK WITH PROLONGED CHEMICAL RESISTANCE

Chemical glove offering a very good grip on objects handled during prolonged use

Logistics Information

Reference	Color	Size	Designation	EAN13	Box Code			Weight			
VV836BL09	Blue	09	CHEMSAFE PLUS VV836	3295249213435	13295249213432	60	6	11.0 kg	34.0 cm	53.4 cm	25.6 cm
VV836BL10	Blue	10	CHEMSAFE PLUS VV836	3295249213442	13295249213449	60	6	12.0 kg	34.2 cm	54.4 cm	26.4 cm
VV836BL11	Blue	11	CHEMSAFE PLUS VV836	3295249213459	13295249213456	60	6	12.1 kg	34.2 cm	53.8 cm	25.4 cm

Multiple Sales

Minimum Order Quantity

Box Width

Box Depth

Box Height