



Hand protection

EOS NOCUT VV915

LONG-LASTING CUT WORK

Impact gloves for heavy work with reinforced palm and fully waterproof nitrile coating.



Specific benefits



Durability

- Tested before and after washing: performance unchanged
- Longer service life thanks to a double coating for excellent abrasion resistance



Easy to use

- Hook-and-loop fastener for better wrist support



Hygiene

- Washable glove, so it can be reused
- Nitrile means no risk of allergies for users



Performance

- Flexible reinforcements for added protection against impact and pinching

Certifications and norms



EN 388

4 X 4 3 D P



EN 407

X 1 X X X X



A4 6 5



ANSI ISEA 138

PERFORMANCE LEVEL : 1

Risk Protection



Heat



Shock



Cutting



enjoy safety.



Hand protection

EOS NOCUT VV915

LONG-LASTING CUT WORK

Impact gloves for heavy work with reinforced palm and fully waterproof nitrile coating.

Standards - Details



EN388:2016+A1:2018

4 [0-4] ABRASION RESISTANCE
X [0-5] CUT RESISTANCE
4 [0-4] TEAR RESISTANCE
3 [0-4] PIERCE RESISTANCE
D [A-F] CUT RESISTANCE ISO 13997
P [P] IMPACT RESISTANCE (OPTIONAL)



EN 407

X [0-4] BURNING BEHAVIOUR
1 [0-4] CONTACT HEAT RESISTANCE
X [0-4] CONVECTIVE HEAT
X [0-4] RADIANT HEAT RESISTANCE
X [0-4] SMALL DROP MOLTEN METAL
X [0-4] LARGE QUANTITY MOLTEN METAL

Technical details

| | |
|-------------------------------|-----------------------|
| Glove kind | Special glove |
| Glove family | Knitted coated glove |
| Mechanical Glove Type | Tricot |
| Special gloves kind | Impact |
| Coating material and finition | Double Nitrile Layer |
| Coating Level | Hand Coated |
| Number of Coatings | Double Coated |
| Gauge | 15 |
| Cuff characteristic | Velcro cuff |
| Benefits element | Washable, Vendor pack |
| Color | Yellow-Grey-Black |
| Size | 7, 8, 9, 10, 11, 12 |
| Type of conditioning | Header card |



Safety gloves

EOS NOCUT VV915

LONG-LASTING CUT WORK

Impact gloves for heavy work with reinforced palm and fully waterproof nitrile coating.

Logistics Information

| Reference | Color | Size | Designation | EAN13 | Box Code |  |  | Weight |  |  |  |
|-----------|-------------------|------|-----------------|---------------|----------------|---|---|----------|---|---|---|
| VV915JA07 | Yellow-Grey-Black | 07 | EOS NOCUT VV915 | 3295249305765 | 13295249305762 | 60 | 12 | 13.39 kg | 25.0 cm | 32.4 cm | 70.4 cm |
| VV915JA08 | Yellow-Grey-Black | 08 | EOS NOCUT VV915 | 3295249305710 | 13295249305717 | 60 | 12 | 0.0 kg | 25.0 cm | 32.0 cm | 70.0 cm |
| VV915JA09 | Yellow-Grey-Black | 09 | EOS NOCUT VV915 | 3295249305727 | 13295249305724 | 60 | 12 | 0.0 kg | 25.0 cm | 32.0 cm | 70.0 cm |
| VV915JA10 | Yellow-Grey-Black | 10 | EOS NOCUT VV915 | 3295249305734 | 13295249305731 | 60 | 12 | 0.0 kg | 25.0 cm | 32.0 cm | 70.0 cm |
| VV915JA11 | Yellow-Grey-Black | 11 | EOS NOCUT VV915 | 3295249305741 | 13295249305748 | 60 | 12 | 0.0 kg | 25.0 cm | 32.0 cm | 70.0 cm |
| VV915JA12 | Yellow-Grey-Black | 12 | EOS NOCUT VV915 | 3295249305758 | 13295249305755 | 60 | 12 | 0.0 kg | 25.0 cm | 32.0 cm | 70.0 cm |



Multiple Sales



Minimum Order Quantity



Box Width



Box Depth



Box Height