



Head protection

PACAYA T5

SAFETY GLASSES

Shade 5 safety safety glasses, ideal for light welding work



Specific benefits



Comfort

- Ample indirect venting on the top and bottom of the lens to reduce moisture infiltration and fogging
- Gasket brings an increased comfort and optimal sealing
- Wide frame bringing a better fit for wider facial profile



Performance

- Design incorporates brow protection and both side shields and vents for an optimal vision in heat conditions
- Spherical visor for an extra large field of vision



Durability

- Anti-scratch coating Increasing lifespan

Applications

- Building
- Finishing works / Craftsmanship
- Light industry
- Maintenance
- Pharmaceutical industry / Laboratories
- Automotive

Certifications and norms



EN172
UV 5 - 5

EN169
UV 5

EN166
1 FT / FT

ANSI Z87.1-2003
Z87+

Protects against risks



Shock



UV / IR



Head protection

PACAYA T5

SAFETY GLASSES

Shade 5 safety safety glasses, ideal for light welding work

Standards - Details

Technical details

Use	Inside
Type of eye protection	Glasses
Gasket	Absorbing Foam
Lens matériel	Polycarbonate
Lens treatment	Anti-scratch (classic), UV400
Lens based curve	8
Lens support	Monobloc
Lens color	Welding 5
Optical class	1
Lens protection class	5
Lens characteristic	Curved
Mechanical strength (lens)	F, T
Nose pad material	Polycarbonate
Frame material	Nylon
Frame	Temples
Frame color	Black
Mechanical strength (frame)	F, T
Mechanical strength (2nd frame)	F, T
Temples benefit	Adjustable width, Flexible tip
Temples confort	Flexible tip
Optional accessories	Strap
Weight (g)	36








Head protection

PACAYA T5

SAFETY GLASSES

Shade 5 safety safety glasses, ideal for light welding work

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
PACAYNO05	Shade 5	-	PACAYA T5	3295249123970	13295249123977	100	10	6.374 kg	30.4 cm	39.0 cm	53.6 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height