



Fall protection

JAGUAR 2 HAR36R

FALL ARRESTER AND SUSPENSION HARNESSES

Technical harness with a new architecture designed to optimise the ergonomics of rope workers, equipped with a ventral blocker



Specific benefits



Comfort

· 3D comfort foam integrated into harnesses, providing comfort and breathability for extended use



Hygiene

· Detachable comfort foam for easy cleaning
· Harnesses and textiles can be washed with neutral soap



Performance

· Certification above the maximum rated load of 100 kg: product certified at 150 kg



Visibility

· Visual fall indicator for instant verification that the product is working properly

Applications

- Public works
- Finishing works / Craftsmanship
- Chemical industry
- Automotive
- Oil & Gas (extraction)
- Mining

Certifications and norms



EN361
150 KG

EN813
150 KG

EN358

Protects against risks



Fall



Fall protection

JAGUAR 2 HAR36R

FALL ARRESTER AND SUSPENSION HARNESSES

Technical harness with a new architecture designed to optimise the ergonomics of rope workers, equipped with a ventral blocker

Standards - Details

Technical details

Type of equipment	Fall arrest, support and suspension harnesses
Composition of the main support	Aluminum, Polyester
Fastening	Buckles
Number of attachment points	2
Number of total suspension points	1
Number of total holding attachment points	2
Anti-fall point	Dorsal, Sternal
Holding point	Belt
Color	Grey-Yellow
Comfort elements	"Soft padding" on shoulders and thigh strap
Size	XS, S/M/L, XL/XXL
Benefits element	Comfort
Lifespan from manufacturing (years)	10
Number of non-removable buckles	5
Weight (kg)	2,7
Number of manual buckles	2
Number of automatic loops	2
Number of fall arrest anchorage points	2
Padding	Back, Belt, Leg, Shoulder
Sternal	1
Dorsal	1
Belt	1
Fall arrest work situations	Vertical movement on a permanent structure, Work positioning, Movement on lifeline, Restraint, Long vertical movement or movement on inclined surface, Long vertical movement or movement on inclined surface for rope access work, Short vertical movement or movement on inclined surface (less than 3 m), Vertical movement, confined space,

	than 3 m), Long movement with multi connection /disconnection
--	---



Fall protection

JAGUAR 2 HAR36R

FALL ARRESTER AND SUSPENSION HARNESSES

Technical harness with a new architecture designed to optimise the ergonomics of rope workers, equipped with a ventral blocker

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
HARJAG02S01GRSM [HAR36RPT]	Grey-Yellow	S	JAGUAR 2 HAR36R	3295249270223	13295249270220	5	1	16.1 kg	27.2 cm	81.4 cm	40.6 cm
HARJAG02S01GRML [HAR36RGT]	Grey-Yellow	M/L	JAGUAR 2 HAR36R	3295249265601	13295249265608	5	1	16.3 kg	25.0 cm	80.0 cm	38.0 cm
HARJAG02S01GR2X [HAR36RXX]	Grey-Yellow	XL/XXL	JAGUAR 2 HAR36R	3295249265694	13295249265691	5	1	16.5 kg	25.0 cm	80.0 cm	38.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height