



Hand protection

EOS NOCUT VV910

LONG-LASTING CUT WORK

Level D cut, impact-resistant glove, ideal for multipurpose work in aqueous or oily environments



Specific benefits



Durability

• Longer service life thanks to a double coating for excellent abrasion resistance



Easy to use

• Perfect fit so that users do not feel any discomfort in the wrist area with prolonged use
• Hook-and-loop fastener for better wrist support



Hygiene

• Silicone-free/ DMF-free, leaving no residue on components while limiting allergies
• Washable glove, so it can be reused
• DMF-free to reduce the risk of allergies

Certifications and norms



EN 388
4 X 4 3 D P



EN 407
X 1 X X X X



ANSI/ISEA 105-2024
A4 X X

Technologies & labels



DMF-free



Silicon-free

Applications

- Public works
- Building
- Finishing works / Craftsmanship
- Maintenance
- Chemical industry
- Automotive

Protects against risks



Shock



Cutting



Wearing



Perforation



Hand protection

EOS NOCUT VV910

LONG-LASTING CUT WORK

Level D cut, impact-resistant glove, ideal for multipurpose work in aqueous or oily environments

Standards - Details



EN388:2016+A1:2018

4 [0-4] ABRASION RESISTANCE
X [0-5] CUT RESISTANCE
4 [0-4] TEAR RESISTANCE
3 [0-4] PIERCE RESISTANCE
D [A-F] CUT RESISTANCE ISO 13997
P [P] IMPACT RESISTANCE (OPTIONAL)



EN 407

X [0-4] BURNING BEHAVIOUR
1 [0-4] CONTACT HEAT RESISTANCE
X [0-4] CONVECTIVE HEAT
X [0-4] RADIANT HEAT RESISTANCE
X [0-4] SMALL DROP MOLTEN METAL
X [0-4] LARGE QUANTITY MOLTEN METAL

Technical details

Glove kind	Special glove
Glove family	Impact-resistant glove
Mechanical glove kind	Knitted
Special gloves kind	Impact
Weft yarn	Aramid, PEHD
Coating level	Palm coated
Coating material	Nitrile
Coating finition	Smooth, Grip-textured, Double Layer
Number of layer	Double Layer
Gauge	13
Cuff characteristic	Velcro cuff
Benefits element	Reach, Silicone free, DMF free, Washable, Vendor pack, Azo Free, Kevlar stitching
Color	Yellow-Grey-Black
Size	8, 9, 10, 11, 12
Type of packaging	Header card

Packaging

Sale unit: Header card
60 pairs /box

Product care



Washing x1 - 60°C

· Flat drying



Safety gloves

EOS NOCUT VV910

LONG-LASTING CUT WORK

Level D cut, impact-resistant glove, ideal for multipurpose work in aqueous or oily environments

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
GKI910KH01YE08 [VV910JA08]	Yellow-Grey-Black	08	EOS NOCUT VV910	3295249191542	13295249191549	60	12	14.1 kg	70.0 cm	32.0 cm	23.0 cm
GKI910KH01YE09 [VV910JA09]	Yellow-Grey-Black	09	EOS NOCUT VV910	3295249191559	13295249191556	60	12	13.394 kg	32.4 cm	70.4 cm	25.0 cm
GKI910KH01YE10 [VV910JA10]	Yellow-Grey-Black	10	EOS NOCUT VV910	3295249191566	13295249191563	60	12	16.1 kg	34.6 cm	75.4 cm	29.8 cm
GKI910KH01YE11 [VV910JA11]	Yellow-Grey-Black	11	EOS NOCUT VV910	3295249191573	13295249191570	60	12	13.6 kg	33.6 cm	72.6 cm	24.2 cm
GKI910KH01YE12 [VV910JA12]	Yellow-Grey-Black	12	EOS NOCUT VV910	3295249302351	13295249302358	60	12	18.51 kg	36.8 cm	78.8 cm	28.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height